



PROFESSIONAL

Cordless Impact Driver

TP-CI 18/220 Li BL - Solo

Item No.: 4510085

Ident No.: 21013

Bar Code: 4006825675146

The Einhell Professional cordless impact driver TP-Cl 18/220 Li BL - Solo is a powerful member of the Power X-Change family. The tool is driven by a PurePOWER brushless motor for enhanced power and longer runtimes. Once you register online, the brushless motor has a 10-year warranty. Tightening long screws with large diameters takes no effort at all with the cordless impact driver. It features a ¼" (6.35 mm) hexagonal chuck and provides 220 Nm of torque. The finely adjustable speed control electronics can be adjusted as needed. The tool does not come with a battery or charger. These are sold separately.

OWER CHANGE

Features & Benefits

- Part of the Power X-Change family, 1 x 18 V battery required
- Brushless motor more power and longer running time
- PurePOWER brushless 10-year motor warranty with registration
- Quick stop for fast and easy changes of tool.
- Finely adjustable speed electronics for delicate work
- Heavy-duty hexagonal chuck
- Special impact mechanism to protect wrist from torsional forces
- Lightweight design with ergonomically shaped Softgrip surfaces
- Includes LED light to illuminate the working area
- Includes belt clip for to keep within easy reach
- Comes without battery or charger (sold separately)

Technical Data

0 - 2900 min^-1 - Idle speed - Type of bit interlock Mechanic locking sleeve - tool collet (hex) Bit holder (6,35 mm/1/4") 220 Nm - Max. torque hard



- Product weight (kg) 1.16 - Gross weight (kg) 1.6 4 Pieces - Pieces per export carton - Gross weight export carton 7.31 kg

- Dimensions Export Carton 388 x 214 x 246 mm - Container quantity (20"/40"/40"HC) 5480 | 11356 | 13316





















Available as special accessories



Handy Bitbox Impact 12tlg. Akku-Bohrschrauber-Zubehör Item No.: 49155025 Bar Code: 4009311550255 Einhell Accessory



PXC+ 18V 5-8Ah MULTI Battery Item No.: 4511600

Bar Code: 4006825665055

Einhell Accessory



3,0 Ah Power X-Change Plus Battery

Item No.: 4511501

Bar Code: 4006825644197

Einhell Accessory



4,0 Ah Power X-Change Battery Item No.: 4511396

Bar Code: 4006825610376

Einhell Accessory



2x 18V 5,2Ah PXC-Twinpack

Battery

Item No.: 4511526 Bar Code: 4006825656695 Einhell Accessory



2x2 Power X-Quattrocharger 4A

Charger Item No.: 4512102 Bar Code: 4006825649536

Einhell Accessory



Power X-Twincharger 3A Charger Item No.: 4512069

Bar Code: 4006825629729

Einhell Accessory



Power X-Boostcharger 8A

Charger

Item No.: 4512155

Bar Code: 4006825670554

Einhell Accessory



18V 4,0Ah PXC Starter Kit A1

PXC-Starter-Kit Item No.: 4512042

Bar Code: 4006825613704

Einhell Accessory



18V 4-6Ah & 6A Boostcharger

PXC-Starter-Kit Item No.: 4512143 Bar Code: 4006825667653 Einhell Accessory



E-Case S-F

System Carrying Case Item No.: 4540011 Bar Code: 4006825653991

Einhell Accessory



5,2 Ah Power X-Change Plus

Battery Item No.: 4511437

Bar Code: 4006825616606

Einhell Accessory

PXC+ 18V 4,0Ah Battery Item No.: 4511553 Bar Code: 4006825660869

Einhell Accessory



2,0 Ah Power X-Change

Battery

Item No.: 4511395

Bar Code: 4006825610369

Einhell Accessory



4-6 Ah Multi-Ah Power X-Change

Battery

Item No.: 4511502 Bar Code: 4006825644210



2x18V 4,0Ah PXC-Twinpack CB

Battery Item No.: 4511489 Bar Code: 4006825638578



Power X-Fastcharger 4A

Charger Item No.: 4512103 Bar Code: 4006825650228

Einhell Accessory



Power X-Car Charger 3A

Charger Item No.: 4512113 Bar Code: 4006825655377

Einhell Accessory



18V 2,5Ah PXC Starter Kit PXC-Starter-Kit

Item No.: 4512097 Bar Code: 4006825646962

Einhell Accessory



2x 4,0Ah & Twincharger Kit 1

PXC-Starter-Kit Item No.: 4512112

Bar Code: 4006825655766

Einhell Accessory



E-Case L with wheels E-Case L with wheels System Carrying Case Item No.: 4540014 Bar Code: 4006825660562 Einhell Accessory



E-Case M

System Carrying Case Item No.: 4540021 Bar Code: 4006825667721 Einhell Accessory

Battery-Running-Times

One Battery for All	screwing ¹
	(pieces)
1.5 Ah	160
2.0 Ah	215
2.5 Ah	260
3.0 Ah	320
4.0 Ah	430
5.2 Ah	555
6.0 Ah	640
8.0 Ah	860

Test setup:

1) screws - 6x60 mm