



EXPERT

Cordless Pressure Sprayer

GE-WS 18/75 Li-Solo

Item No.: 3425220 Ident No.: 21023

Bar Code: 4006825646368

The Einhell GE-WS 18/75 Li-Solo cordless sprayer helps in the distribution of plant protection, fertilizer and weed control agents and is a member of the flexible Power X-Change family. The pressure sprayer is fitted with an automatic pump. A scale in the transparent tank gives an indication of the fill level at a glance. The large metal handles on the tank are designed to make opening and closing easier. The brass nozzle is individually adjustable. The telescopic spray lance is made of stainless steel and fitted with a lockable control button. The padded carrying strap takes the strain off the job. The battery cover offers protection from splash water. The battery and charger are available separately.

Features & Benefits

- Automatic pump, no manual pressure build-up required
- Transparent tank with scale for checking the level
- Individually adjustable brass nozzle
- Telescopic lance made of stainless steel
- Battery cover provides protection against water ingress
- Spray lance with lockable operating button
- Large metal clip on the tank for opening and closing easily
- Padded carrying strap for tireless working
- Use: Pesticides/fertilizers/weed killers

Technical Data

 Max. filling capacity 	7.5 L
- Tank capacity	8.2 L
- Max. liquid temperature	40 °C
- Max. spraying pressure	2.5 bar
- Flow rate	60 L/h
- Pressure hose length	1400 mm

Logistic Data


- Product	we	эi	gł	nt	(kg)	
-						

g)

- Dimensions single packagingPieces per export carton
- Fleces per export calton
- Gross weight of export carton
- Dimensions export carton
- Container quantity (20"/40"/40"HC)
- 2.39 3.53 345 x 220 x 383 mm 3 Pieces 11.7 kg 680 x 355 x 405 mm 864 | 1782 | 2085







Available as special accessories







PXC Battery Mounting Gadget PXC-Battery Accessory Item No.: 4514155 Bar Code: 4006825658774 Einhell Accessory

Tank 7,5L f. 18V Drucksprüher Pressure Sprayer Accessory Item No.: 3425206 Bar Code: 4006825664065 Einhell Accessory

PXC+ 18V 5-8Ah MULTI Battery Item No.: 4511600 Bar Code: 4006825665055 Einhell Accessory

2,0 Ah Power X-Change Battery Item No.: 4511395 Bar Code: 4006825610369 Einhell Accessory



4-6 Ah Multi-Ah Power X-Change Plus Battery Item No.: 4511502 Bar Code: 4006825644210

2x 18V 5,2Ah PXC-Twinpack Battery Item No.: 4511526 Bar Code: 4006825656695 Einhell Accessory



2x2 Power X-Quattrocharger 4A Charger Item No.: 4512102 Bar Code: 4006825649536 Einhell Accessory

Power X-Twincharger 3A Charger Item No.: 4512069 Bar Code: 4006825629729 Einhell Accessory

18V 2,5Ah PXC Starter Kit PXC-Starter-Kit Item No.: 4512097 Bar Code: 4006825646962 Einhell Accessory



18V 2,0Ah PXC Starter Kit PXC-Starter-Kit Item No.: 4512040 Bar Code: 4006825613681 Einhell Accessory





















Sprüher Zubehör Kit Pressure Sprayer Accessory Item No.: 3425205 Bar Code: 4006825664003 Einhell Accessory

5,2 Ah Power X-Change Plus Battery Item No.: 4511437 Bar Code: 4006825616606 Einhell Accessory



4,0 Ah Power X-Change Battery Item No.: 4511396 Bar Code: 4006825610376 Einhell Accessory

PXC 18V 2,5Ah Battery Item No.: 4511516 Bar Code: 4006825650518 Einhell Accessory

2x18V 4,0Ah PXC-Twinpack CB B1 Battery Item No.: 4511489 Bar Code: 4006825638578

Power X-Fastcharger 4A Charger Item No.: 4512103 Bar Code: 4006825650228 Einhell Accessory

> Power X-Car Charger 3A Charger Item No.: 4512113 Bar Code: 4006825655377 Einhell Accessory

2x 4,0Ah & Twincharger Kit 1 PXC-Starter-Kit Item No.: 4512112 Bar Code: 4006825655766 Einhell Accessory

18V 4,0Ah PXC Starter Kit B1 PXC-Starter-Kit Item No.: 4512042 Bar Code: 4006825613704 Einhell Accessory

Illustrations can contain accessories, which are not included in standard extent of delivery Illustration similar (in design), production-wise modifications reserved GS mark belongs to the product itself only, excluded accessory Generated at: 14.04.2025 08:34 Page 2

Battery-Running-Times

	-=0	
One Battery for All	running time ¹	
	(h)	
1.5 Ah	5	
2.0 Ah	6	
2.5 Ah	7.5	
3.0 Ah	10	
4.0 Ah	12	
5.2 Ah	16	
6.0 Ah	20	
8.0 Ah	24	

Test setup:

1) -