



Einhell

HGG 110 Niro Heating Generator

Art.-No. 23.301.30

Heating generators from EINHELL offers advanced technology and usual solid quality at a fair price. Due to the high efficiency design and construction of the unit it could be kept small and handy with a high heating power. The normal connection is to a 5 resp. 11 kg propane/butan gas bottle. The integrated piezo ignition as well as the thermal cut-out warrants a safe operation. The unit is suitable for example for heating well ventilated rooms, the drying of new buildings for spot heating of jobs and things like this. A gas hose and the pressure reducer are supplied as standard equipment.

The device is not suitable for commercial use! (Attention! Commercial use only with the excess flow cut-off valve according to DIN 30693!)

Features

- Housing made of stainless steel (1)
- Carrying handle (2)
- Heating reflector made of galvanized sheet steel (3)
- ON / OFF switch for fan (4)
- Gas valve button
- Piezo ignition
- Back-fire safety device
- Piezo electrical flame safety
- Solenoid valve
- Mains cable
- Gas hose
- Pressure reducer 300 mbar

Technical Data

- | | |
|------------------------------|------------------------|
| ■ Mains: | 230 V ~ 50 Hz, 38 W |
| ■ Nominal heat load: | 11.2 kW |
| ■ Nominal air volume: | 500 m ³ /h |
| ■ Nominal gas consumption: | 815 g/h liquid gas P/B |
| ■ Operating pressure: | 300 mbar |
| ■ Type of gas propane/butan: | Kat. I.3 |
| ■ Product weight: | 4.6 kg |

Logistic Data

- | | |
|-----------------------|--------------------|
| ■ Net weight: | 4.8 kg |
| ■ Gross weight: | 5.7 kg |
| ■ Packing dimensions: | 420 x 230 x 330 mm |
| ■ Bar code: | 4006825 506822 |
| ■ Sales unit: | 1 pc |

