



Einhell

EXPERT PLUS



Cordless Clear Water Pump

GE-SP 18 Li - Solo

Item No.: 4181500

Ident No.: 21021

Bar Code: 4006825651379

The GE-SP 18 Li cordless clean water pump is a high-performance member of the high-quality lithium-ion powered Power X-Change family. The pump can be used with flexibility wherever you want to move water without using a connection to the power supply. Ideal for pumping out or repumping clean water at up to 5,000 liters per hour thanks to the high-performance motor. The pump is equipped with a long cable connection to the separate splash-proof battery box with a suspension device, wall-mounting facility and practical cable storage holder. One 18 V PXC rechargeable battery is required for operation, which is not supplied with the product. The battery and charger are available separately.

Features & Benefits


- A member of the Power X-Change family, 1x18V battery required
- Flexible battery box with integrated cable storage holder
- Long cable connection for greater immersion depth
- Powerful motor generates high flow rate
- High-quality pump housing made of impact-resistant plastic
- Easily accessible hose connection on top of the pump
- Dry-Running Protection
- Supplied without battery and charger (available separately)

Technical Data

- | | |
|----------------------------|----------------|
| - Max. delivery height | 8 m |
| - Max. delivery capacity | 5000 L/h |
| - Max. immersion depth | 4 m |
| - foreign particle size | 0 mm |
| - Max. pressure | 0.8 bar |
| - Max. water temperature | 35 °C |
| - Connection pressure side | 33,3mm (G1 AG) |

Logistic Data

- | | |
|--|--------------------|
| - Product weight (kg) | 2.37 |
| - Gross weight (kg) | 3.35 |
| - Dimensions single packaging | 330 x 258 x 265 mm |
| - Pieces per export carton | 4 Pieces |
| - Gross weight of export carton | 14.16 kg |
| - Dimensions export carton | 530 x 340 x 540 mm |
| - Container quantities (20"/40"/40"HC) | 1080 2300 |



Available as special accessories



2x 3,0Ah & Twincharger Kit
PXC-Starter-Kit
Item No.: 4512083
Bar Code: 4006825638509
Einhell Accessory



18V 4-6Ah Multi-Ah PXC Plus
Battery
Item No.: 4511502
Bar Code: 4006825644210
Einhell Accessory



18V 2,5Ah PXC Starter Kit
PXC-Starter-Kit
Item No.: 4512097
Bar Code: 4006825646962
Einhell Accessory



18V 2,0Ah Power X-Change
Battery
Item No.: 4511395
Bar Code: 4006825610369
Einhell Accessory



18V 4,0Ah Power X-Change 1
Battery
Item No.: 4511396
Bar Code: 4006825610376
Einhell Accessory



18V 4,0Ah PXC Starter Kit 1
PXC-Starter-Kit
Item No.: 4512042
Bar Code: 4006825613704
Einhell Accessory



18V 2,5Ah Power X-Change
Battery
Item No.: 4511516
Bar Code: 4006825650518
Einhell Accessory



Power X-Fastcharger 4A
Charger
Item No.: 4512103
Bar Code: 4006825650228
Einhell Accessory



18V 5,2Ah Power X-Change Plus
Battery
Item No.: 4511437
Bar Code: 4006825616606
Einhell Accessory



2x 5,2Ah & Twincharger Kit
PXC-Starter-Kit
Item No.: 4512108
Bar Code: 4006825652376
Einhell Accessory



Power X-Twincharger 3A
Charger
Item No.: 4512069
Bar Code: 4006825629729
Einhell Accessory



18V Battery Charger 3,0A - PXC
Charger
Item No.: 4514095
Bar Code: 4006825655292
Einhell Accessory



2x 4,0Ah & Twincharger Kit 1
PXC-Starter-Kit
Item No.: 4512112
Bar Code: 4006825655766
Einhell Accessory



2x 18V 2,5Ah PXC-Twinpack CB
Battery
Item No.: 4511524
Bar Code: 4006825656206
Einhell Accessory



2x 18V 5,2Ah PXC-Twinpack
Battery
Item No.: 4511526
Bar Code: 4006825656695
Einhell Accessory



5,2Ah & 4A Fastcharger
PXC-Starter-Kit
Item No.: 4512114
Bar Code: 4006825656787
Einhell Accessory



2x18V 4,0Ah PXC-Twinpack CB 1
Battery
Item No.: 4511489
Bar Code: 4006825638578
Einhell Accessory



Power X-Boostcharger 6A
Charger
Item No.: 4512064
Bar Code: 4006825629019
Einhell Accessory



18V 3,0Ah Power X-Change Plus
Battery
Item No.: 4511501
Bar Code: 4006825644197
Einhell Accessory



18V 3,0 Ah Power-X-Change 2
Battery
Item No.: 4511341
Bar Code: 4006825590593
Einhell Accessory

Battery-Running-Times



One Battery for All

pumping water¹⁾
(min.)

1.5 Ah	20
2.0 Ah	30
2.5 Ah	35
3.0 Ah	40
4.0 Ah	60
5.2 Ah	70
6.0 Ah	80
8.0 Ah	120

Test setup:

1) -