



Einhell

PROFESSIONAL



Cordless Angle Grinder

TP-AG 18/125 CE Set - Solo

Item No.: 4431158

Ident No.: 21013

Bar Code: 4006825673593

The Einhell Professional cordless angle grinder TP-AG 18/125 CE Set - Solo offers wireless freedom, whether for sanding, cutting or polishing. The tool is driven by a PurePOWER brushless motor for enhanced power and longer runtimes. Once you register online, the brushless motor has a 10-year warranty. The slim, ergonomic design and the additional handle ensure pleasant work. The set contains 1x diamond cutting disc, 1x laminated disc and 1x cutting protection. Cutting discs with a diameter of max. 125 mm can be used. The maximum cutting depth is 33 mm. The product does not include a battery or charger. These are available separately.

Features & Benefits

- Part of the Power X-Change family, 1x 18 V battery required
- Brushless motor – more power and longer running time
- PurePOWER brushless – 10-year motor warranty with registration
- Soft-start and protection against accidental restarts enhance user safety
- Quick-adjust disc guard for flexible use
- Constant electronics for constant speed despite high loads
- Additional handle can be mounted in 2 positions as required
- Overload protection to protect against overheating
- Incl. 1x diamond cutting disc
- Incl. 1x laminated disc
- Incl. 1x separation protection
- Comes without battery or charger (sold separately)



Technical Data

- Disc size 125 mm
- No-load speed (idle speed) Min. 3000 min⁻¹
- No-load speed (idle speed) Max. 10500 min⁻¹
- Max. cutting depth 33 mm



Logistic Data

- Product weight (kg) 1.7
- Gross weight (kg) 2.38
- Dimensions single packaging 350 x 155 x 130 mm
- Pieces per export carton 4 Pieces
- Gross weight of export carton 10 kg
- Dimensions Export Carton 375 x 325 x 316 mm
- Container quantity (20"/40"/40"HC) 3568 | 7136 | 8048



Available as special accessories



4-6 Ah Multi-Ah Power X-Change Plus Battery
Item No.: 4511502
Bar Code: 4006825644210



4,0 Ah Power X-Change Battery
Item No.: 4511396
Bar Code: 4006825610376
Einhell Accessory



18V 4,0Ah PXC Starter Kit A1 PXC-Starter-Kit
Item No.: 4512042
Bar Code: 4006825613704
Einhell Accessory



Power X-Fastcharger 4A Charger
Item No.: 4512103
Bar Code: 4006825650228
Einhell Accessory



Power X-Car Charger 3A Charger
Item No.: 4512113
Bar Code: 4006825655377
Einhell Accessory



2x 18V 5,2Ah PXC-Twinpack Battery
Item No.: 4511526
Bar Code: 4006825656695
Einhell Accessory



2x18V 4,0Ah PXC-Twinpack CB A1 Battery
Item No.: 4511489
Bar Code: 4006825638578



18V 5-8Ah Multi-Ah PXC Plus Battery
Item No.: 4511600
Bar Code: 4006825665055
Einhell Accessory



5,2 Ah Power X-Change Plus Battery
Item No.: 4511437
Bar Code: 4006825616606
Einhell Accessory



18V 4,0Ah Power-X-Change Plus Battery
Item No.: 4511553
Bar Code: 4006825660869
Einhell Accessory



2,0 Ah Power X-Change Battery
Item No.: 4511395
Bar Code: 4006825610369
Einhell Accessory



18V 2,5Ah PXC Starter Kit PXC-Starter-Kit
Item No.: 4512097
Bar Code: 4006825646962
Einhell Accessory



18V 3,0Ah PXC Starter Kit PXC-Starter-Kit
Item No.: 4512041
Bar Code: 4006825613698
Einhell Accessory



2x2 Power X-Quattrocharger 4A Charger
Item No.: 4512102
Bar Code: 4006825649536
Einhell Accessory



Power X-Twincharger 3A Charger
Item No.: 4512069
Bar Code: 4006825629729
Einhell Accessory



2x 4,0Ah & Twincharger Kit 1 PXC-Starter-Kit
Item No.: 4512112
Bar Code: 4006825655766
Einhell Accessory



5,2Ah & 4A Fastcharger PXC-Starter-Kit
Item No.: 4512114
Bar Code: 4006825656787
Einhell Accessory



18V 3,0 Ah Power-X-Change 2 Battery
Item No.: 4511341
Bar Code: 4006825590593
Einhell Accessory

Trennschutz TP-AG 18/125 CE Q Angle Grinder Accessory
Item No.: 4450059
Bar Code: 4006825670028
No Name




3,0 Ah Power X-Change Plus Battery
Item No.: 4511501
Bar Code: 4006825644197
Einhell Accessory



18V 2,0Ah PXC Starter Kit PXC-Starter-Kit
Item No.: 4512040
Bar Code: 4006825613681
Einhell Accessory

Battery-Running-Times

One Battery for All	 cutting ¹ (pieces)
1.5 Ah	29
2.0 Ah	38
2.5 Ah	48
3.0 Ah	57
4.0 Ah	76
5.2 Ah	98
6.0 Ah	113
8.0 Ah	151

For best performance select a battery with at least 2.5 Ah

Test setup:

1) metal - round steel Ø 12 mm - Max. electronic speed