




PROFESSIONAL



TP-CD 18/120 Li-i BL - Solo

Item No.: 4514310

Ident No.: 21013

Bar Code: 4006825672336

The Einhell Professional cordless impact driver TP-CD 18/120 Li-i BL-Solo is the perfect addition to any workshop and is part of the Power X-Change family. The tool is driven by a PurePOWER brushless motor for enhanced power and longer runtimes. Once you register online, the brushless motor has a 10-year warranty. The impact drilling function helps when working on hard materials such as concrete. With the 2-speed gearbox and speed electronics, you can work in a material-appropriate manner. The hard torque of 120 Nm is adjustable over 21 torque stages, one drilling stage and one impact drilling stage. LED light, additional handle and belt clip provide comfort. Supplied without battery or charger.

OWER CHANGE

Features & Benefits

- Member of the Power X-Change family, 1 x 18 V battery required
- Brushless motor more power and longer runtime
- PurePOWER Brushless 10 years motor warranty after registration
- Percussion drilling function for drilling in stone and masonry
- High-quality 13 mm quick-action metal drill chuck
- Speed electronics for working with the right material
- 2-speed gearbox for powerful screwing and fast drilling
- Ergonomic design with soft grip for comfortable work
- Easy on the joints thanks to additional handle
- Belt clip for securely attaching the unit to the belt
- Integrated LED light to illuminate the working area
- Supplied without battery or charger (sold separately)

Technical Data

- Number of gears

500 min^-1 - Idle speed (gear 1) 2100 min^-1 - Idle speed (gear 2) - Max. torque hard 120 Nm

- Number of torque steps 21+1+1 settings

- Drill chuck 13 mm | single sleeve

- Drilling capacity in concrete 13 mm - Impact rate (gear 1) 6500 min^-1 27300 min^-1 - Impact rate (gear 2)

Logistic Data

- Product weight 1.71 kg - Gross weight single packaging 2.52 kg

- Dimensions single packaging 101 x 373 x 275 mm

- Pieces per export carton 4 Pieces - Gross weight export carton 10.08 kg

- Dimensions export carton 424 x 288 x 391 mm - Container quantity (20"/40"/40"HC) 2320 | 4832 | 5664





















Available as special accessories



4-6 Ah Multi-Ah Power X-Change Plus Battery

Item No.: 4511502 Bar Code: 4006825644210



4,0 Ah Power X-Change Battery Item No.: 4511396 Bar Code: 4006825610376 Einhell Accessory



2x2 Power X-Quattrocharger 4A Charger Item No.: 4512102 Bar Code: 4006825649536 Einhell Accessory



Power X-Twincharger 3A Charger Item No.: 4512069 Bar Code: 4006825629729 Einhell Accessory



2x 4,0Ah & Twincharger Kit 1 PXC-Starter-Kit Item No.: 4512112 Bar Code: 4006825655766 Einhell Accessory



5,2Ah & 4A Fastcharger PXC-Starter-Kit Item No.: 4512114 Bar Code: 4006825656787 Einhell Accessory



18V 5-8Ah Multi-Ah PXC Plus Battery Item No.: 4511600 Bar Code: 4006825665055 Einhell Accessory



Power X-Boostcharger 8A Charger Item No.: 4512155 Bar Code: 4006825670554 Einhell Accessory



3,0 Ah Power X-Change Plus Battery Item No.: 4511501 Bar Code: 4006825644197 Einhell Accessory



2,0 Ah Power X-Change Battery Item No.: 4511395 Bar Code: 4006825610369 Einhell Accessory



18V 2,5Ah PXC Starter Kit PXC-Starter-Kit Item No.: 4512097 Bar Code: 4006825646962 Einhell Accessory



18V 4,0Ah PXC Starter Kit A1 PXC-Starter-Kit Item No.: 4512042 Bar Code: 4006825613704 Einhell Accessory



Power X-Fastcharger 4A Charger Item No.: 4512103 Bar Code: 4006825650228 Einhell Accessory



Power X-Car Charger 3A Charger Item No.: 4512113 Bar Code: 4006825655377 Einhell Accessory



2x 18V 5,2Ah PXC-Twinpack Battery Item No.: 4511526 Bar Code: 4006825656695 Einhell Accessory



2x18V 4,0Ah PXC-Twinpack CB A1 Battery Item No.: 4511489 Bar Code: 4006825638578



18V 4-6Ah & 6A Boostcharger PXC-Starter-Kit Item No.: 4512143 Bar Code: 4006825667653 Einhell Accessory



5,2 Ah Power X-Change Plus Battery Item No.: 4511437 Bar Code: 4006825616606 Einhell Accessory



18V 4,0Ah Power-X-Change Plus Battery Item No.: 4511553 Bar Code: 4006825660869 Einhell Accessory

Battery-Running-Times

One Battery for All	screwing ¹
	(pieces)
1.5 Ah	145
2.0 Ah	190
2.5 Ah	240
3.0 Ah	335
4.0 Ah	445
5.2 Ah	580
6.0 Ah	670
8.0 Ah	895

Test setup:

1) softwood - 6x60 mm