





Cordless Rotary Hammer

HEROCCO 18/20

Item No.: 4513900

Ident No.: 21044

Bar Code: 4006825630343

The Einhell cordless rotary hammer Herocco 18/20 is powered by the Einhell PurePOWER brushless motor for more power and longer running time. After online registration, the motor comes with a 10-year warranty. Drilling, hammer drilling or chiseling with or without lock make it a valued allrounder. It is a member of the Power X-Change family. The pneumatic impact mechanism makes effortless progress through concrete. Tools can be changed quickly thanks to the universal SDS-plus tool chuck with auto-slip-in function. The ergonomic grip area provides a firm soft grip hold. The LED light illuminates the work area. Supplied with a magnetic bit adapter for screwing in a transport and storage case E-Box. The batteries and charger are available separately. For optimum operation it's recommended to use a 3.0 Ah battery or higher

OWER CHANGE

Features & Benefits

- A member of the Power X-Change family
- Brushless motor more power and longer running time
- PurePOWER Brushless 10 year motor warranty after registration
- 4+1 functions: Drilling/impact drilling/chiseling with & w/o lock
- Pneumatic impact mechanism for effortless drilling in concrete
- Universal SDS-plus chuck with semi-automatic function
- Speed electronics for fine adjustment on delicate jobs
- Low-vibration operations by vibration-cushioned main handle
- Ergonomic handle and additional handle with soft grip
- Infinitely adjustable drilling depth stop made of solid metal
- Incl. LED lamp to illuminate the work area
- Incl. magnetic bit adapter for screwing
- Recommendation for optimum results: 3.0 Ah battery & higher
- Supplied without battery and charger (available separately)
- Supplied in transport and storage case E-Box

Technical Data

- Idle speed (gear 1) 0-1200 min^-1 - Impact rate (gear 1) 0-5500 min^-1 2.2 J - Impact power - Max. torque hard 18 Nm - Drilling capacity in concrete 20 mm

Logistic Data

- Pieces per export carton 4 Pieces - Gross weight export carton 18.2 kg - Tool weight 2.12 kg - Gross Weight 4.38 kg

- Dimensions single packaging 400 x 360 x 120 mm - Dimensions export carton 505 x 415 x 375 mm - Container quantity (20"/40"/40"HC) 1416 | 2996 | 3480





















Available as special accessories



4-6 Ah Multi-Ah Power X-Change Plus Battery

Item No.: 4511502 Bar Code: 4006825644210



4,0 Ah Power X-Change Battery Item No.: 4511396

Bar Code: 4006825610376 Einhell Accessory



2x2 Power X-Quattrocharger 4A Charger Item No.: 4512102 Bar Code: 4006825649536

Einhell Accessory



Power X-Twincharger 3A Charger Item No.: 4512069 Bar Code: 4006825629729 Einhell Accessory



Power X-Car Charger 3A Charger Item No.: 4512113 Bar Code: 4006825655377 Einhell Accessory



Bit-Bohrerbox 22tlg. S-Box Akku-Bohrschrauber-Zubehör Item No.: 49108806 Bar Code: 4009311088062 Einhell Accessory



Bit-Bohrerbox 39tlg. L-Box Akku-Bohrschrauber-Zubehör Item No.: 49108911 Bar Code: 4009311089113 Einhell Accessory



18V 2,0Ah PXC Starter Kit PXC-Starter-Kit Item No.: 4512040 Bar Code: 4006825613681 Einhell Accessory



3,0 Ah Power X-Change Plus Battery Item No.: 4511501 Bar Code: 4006825644197 Einhell Accessory



18V 2,5Ah PXC Starter Kit PXC-Starter-Kit Item No.: 4512097 Bar Code: 4006825646962 Einhell Accessory



18V 4,0Ah PXC Starter Kit A1 PXC-Starter-Kit Item No.: 4512042 Bar Code: 4006825613704 Einhell Accessory



Power X-Fastcharger 4A Charger Item No.: 4512103 Bar Code: 4006825650228 Einhell Accessory



18V 3,0 Ah Power-X-Change 1 Battery Item No.: 4511341 Bar Code: 4006825590593 Einhell Accessory



2x18V 4,0Ah PXC-Twinpack CB A1 Battery Item No.: 4511489 Bar Code: 4006825638578



Bitsatz 34 tlg. S-Box Akku-Bohrschrauber-Zubehör Item No.: 49108801 Bar Code: 4009311088017 Einhell Accessory



5,2 Ah Power X-Change Plus Battery Item No.: 4511437 Bar Code: 4006825616606 Einhell Accessory



2,0 Ah Power X-Change Battery Item No.: 4511395 Bar Code: 4006825610369 Einhell Accessory

Battery-Running-Times

One Battery for All	screwing ¹ (pieces)	drilling ² (pieces)
1.5 Ah	250	65
2.0 Ah	335	87
2.5 Ah	417	108
3.0 Ah	500	130
4.0 Ah	670	174
5.2 Ah	870	225
6.0 Ah	1000	260
8.0 Ah	1330	345

For best performance select a battery with at least 3.0 Ah

1) screws - 6x60 mm

2) concrete - holes 6x50 mm